INDEX

Abdominal aorta, obliterative disease of, and iliac arteries, with intermittent claudication, 185.
Acromegaly, articular and other limb changes in, 405.
Acute infectious lymphocytosis, 285.
Anaemia, pernicious, increased haemopoietic activity of xanthine-oxidase-treated folic acid in four patients with, 2.
Androgens, treatment of hypopituitarism in male subjects due to syphilis with special reference to the use of, 258.
Aorta, abdominal, obliterative disease of, and iliac arteries, with intermittent claudication, 185.
Arteries, iliac, obliterative disease of abdominal aorta and, with intermittent claudication, 185.
Arteriolosclerosis, renal, relation between diabetic glomerulosclerosis and, 393.
Articular and other limb changes in acromegaly, 405.
Artificial pneumothorax, maintenance and completion of, 447; effectiveness of artificial pneumothorax treatment, 449; standards of initial artificial pneumothorax, method of maintenance, and end-results, 450.

Benzidine test for occult blood in faeces, 123.
Blood, occult, in faeces, benzidine test for, 123.
— coagulation, familial disorder of, due to deficiency of labile factor, 19; nature of the deficient factor, 25.
— diseases, uses of radiophosphorus in treatment of, 97.
— -flow through clubbed fingers, 202.
Brain-stem, tumours involving, 265.

Carcinoma, thyroid, treatment of, with radioiodine, 95.
Cell sodium in diabetic ketosis, 238.
Certain aspects of the medical application of isotopic tracers, 83; study of iodine metabolism in the thyroid with radioactive iodine, 85; studies of iodine metabolism in man, 89; treatment of thyrotoxicosis with radioiodine, 93; treatment of thyroid carcinoma with radioiodine, 95; use of ^{32}P (radiophosphorus) in medicine, with special reference to the treatment of blood diseases, 97; use of radioactive isotopes in applicators for radiotherapy, 102; use of insoluble colloidal radioactive substances for therapy, 102; some diagnostic uses of ^{32}P, 104; radioactive iron in the study of iron metabolism and of the physiology of erythrocytes, 105; use of erythrocytes labelled with radioactive isotopes as indicators, 110; use of stable isotopes in metabolic studies in man, 112.
Circulatory changes, local, associated with clubbing of the fingers and toes, 201; blood-flow through clubbed fingers, 202.
Claudication, intermittent, treatment of, 169; long-term treatments, 172; short-term treatments, 179; obliterative disease of the abdominal aorta and iliac arteries with, 185.
Clubbing of fingers, local circulatory changes associated with, 201.
— toes, local circulatory changes associated with, 201.
Colloidal, insoluble, radioactive substances, use of, for therapy, 102.
Corticotrophin, effect of, in rheumatic fever, 307; adrenal cortical response, 312; clinical observations, 313.

Diabetic glomerulosclerosis, factors in the aetiology of, 385; hypertension and renal arteriolosclerosis, 393.
— ketosis, severe, metabolic studies in, 225; potassium deficiency, 237; cell sodium, 238.
Diagnostic value of serum iron studies in haemochromatosis, 215.
Disseminated sclerosis, some aspects of the natural history of, 135—Part I. Incidence, course, and prognosis, 135: Incidence in the United Kingdom, 136; sex incidence, 137; course of the disease, 137. Part II. Factors affecting the onset and course, 147.

Effect of corticotrophin in rheumatic fever, 307; adrenal cortical response, 312; clinical observations, 313.

Erythrocytes: physiology of, radioactive iron in study of, 105; use of, labelled with radioactive isotopes, as indicators, 110.

Factors in the aetiology of diabetic glomerulosclerosis, 385; incidence of glomerulosclerosis in diabetic patients, 386; incidence of glomerulosclerosis in non-diabetic patients, 388; hypertension and renal arteriolosclerosis, 393; duration of diabetes, 395; severity and control of diabetes, 397; glomerulosclerosis as one manifestation of a generalized vascular degeneration in diabetics, 401.
Familial disorder of blood coagulation due to deficiency of the labile factor, 19; nature of the deficient factor, 25.
Fanconi syndrome, observations on, and renal hyperchloraemic acidosis in the adult, 61.
— osteomalacia and renal glycosuria in adults with particular reference to its relation to, 33.
Fingers, clubbing of, local circulatory changes associated with, 201.
Folic acid: haemopoietic activity of, treated with xanthine oxidase, 1; preparation of enzyme-treated, 2; as hydrogen donator, 13; as hydrogen acceptor, 13.
Fever, rheumatic, effect of corticotrophin in, 307.
Follicular lymphoma, 327; review of pathology, 330; report of 29 cases, 334.

Glomerulosclerosis, diabetic, factors in the aetiology of, 385; hypertension and renal arteriolosclerosis, 393; as one manifestation of a generalized vascular degeneration, 401.
Glycosuria, renal, osteomalacia and, in adults: metabolic investigation of a case with particular reference to its relation to the Fanconi syndrome and to treatment, 33; metabolic investigations, 40, 51.

Haemochromatosis, diagnostic value of serum iron studies in, 215.
Haemodynamic basis of the symptoms and signs in mitral valvular disease, 361.
Haemopoietic activity of folic acid treated with xanthine oxidase, 1; method of testing the activity of haemopoietic substances, 9; laboratory experiments with xanthine oxidase preparations, 12.
— substances, method of testing for activity of, 9.
Hepato-lenticular degeneration, metabolic disorder in, 425.
Hypertension, relation between diabetic glomerulosclerosis and, 393.
Hypopituitarism in male subjects due to syphilis, with a discussion of androgen treatment, 249; congenital syphilis and the anterior pituitary, 251; acquired syphilis and the anterior pituitary, 254; treatment with special reference to the use of androgens, 258.

Iliac arteries, obliterative disease of abdominal aorta and, with intermittent claudication, 185.
Influenza, pulmonary complications of, as seen in Sheffield in 1949, 291.
Iodine metabolism: in the thyroid, study of, with radioactive iodine, 85; in man, 89.
Iron metabolism, radioactive iron in study of, 105.
— serum, studies, diagnostic value of, in haemochromatosis, 215.
Isotopes, radioactive, use of, in applicators for radiotherapy, 102; use of erythrocytes labelled with, as indicators, 110.
— stable, use of, in metabolic studies in man, 112.
Isotopic tracers, medical application of, certain aspects of, 83; study of iodine metabolism in the thyroid with radioactive iodine, 85; studies of iodine metabolism in man, 89; treatment of thyrotoxicosis with radioiodine, 93; treatment of thyroid carcinoma with radioiodine, 95; use of ^{32}P (radiophosphorus) in medicine, with special reference to the treatment of blood diseases, 97; use of radioactive isotopes in applicators for radiotherapy, 102; use of insoluble colloidal radioactive substances for therapy, 102; some diagnostic uses of ^{32}P, 104; radioactive iron in the study of iron metabolism and of the physiology of erythrocytes, 105; use of erythrocytes labelled with radioactive isotopes as indicators, 110; use of stable isotopes in metabolic studies in man, 112.

Ketosis, diabetic, severe, metabolic studies in, 225; potassium deficiency, 237; cell sodium, 238.

Labile factor, deficiency of, familial disorder of blood coagulation due to, 19; nature of the deficient factor, 25.
Local circulatory changes associated with clubbing of the fingers and toes, 201; blood-flow through clubbed fingers, 202.
Lungs, lymphangitis carcinomatosa of, 353.
Lymphangitis carcinomatosa of the lungs, 353.
Lymphocytosis, acute infectious, 285.
Lymphoma, follicular, 327.

Maintenance and completion of artificial pneumothorax, 447; effectiveness of artificial pneumothorax treatment, 449; standards of initial artificial pneumothorax, method of maintenance, and end-results, 450.
Metabolic disorder in hepato-lenticular degeneration, 425.
— studies in man, use of stable isotopes in, 112.
— studies in severe diabetic ketosis, 225; potassium deficiency, 237; cell sodium, 238.
Metabolism, iodine: study of, in the thyroid with radioactive iodine, 85; in man, 89.
— iron, radioactive iron in the study of, 105.
Mitral valvular disease, haemodynamic basis of the symptoms and signs in, 361.

Obliterative disease of the abdominal aorta and iliac arteries with intermittent claudication, 185; tonoscillography after exercise, 189; aortographic and arteriographic findings, 191.
Observations on the Fanconi syndrome and renal hyperchloraemic acidosis in the adult, 61.
Occult blood in faeces, benzidine test for, 123.
Osteomalacia and renal glycosuria in adults: metabolic investigation of a case with particular reference to its relation to the Fanconi syndrome and to treatment, 33; metabolic investigations, 40, 51.

^{32}P, uses of, with special reference to the treatment of blood diseases, 97; some diagnostic uses of, 104.
Pituitary, anterior, congenital syphilis and, 251; acquired syphilis and, 254.
Pneumothorax, artificial, maintenance and completion of, 447; effectiveness of artificial pneumothorax treatment, 449; standards of initial artificial pneumothorax, method of maintenance, and end-results, 450.
Potassium deficiency in diabetic ketosis, 237.
Proceedings of the Association of Physicians of Great Britain and Ireland, 1952: Forty-Sixth Annual General Meeting, 457.
Pulmonary complications of influenza as seen in Sheffield in 1949, 291.

Radioactive iodine, study of iodine metabolism in the thyroid with, 85; treatment of thyrotoxicosis with, 93; treatment of thyroid carcinoma with, 95.
— iron in study of iron metabolism and of the physiology of erythrocytes, 105.
— isotopes, use of, in applicators for radiotherapy, 102; use of erythrocytes labelled with, as indicators, 110.
— substances, insoluble colloidal, use of, for therapy, 102.
Radiophosphorus (^{32}P), uses of, in medicine, with special reference to the treatment of blood diseases, 97; some diagnostic uses of, 104.
Renal arteriolosclerosis, relation between diabetic glomerulosclerosis and, 393.
— glycosuria, osteomalacia and, in the adult: metabolic investigation of a case with particular reference to its relation to the Fanconi syndrome and to treatment, 33; metabolic investigations, 40, 51.
— hyperchloraemic acidosis, observations on the Fanconi syndrome and, in the adult, 61.
Rheumatic fever, effect of corticotrophin in, 307; adrenal cortical response, 312; clinical observations, 313.

Sclerosis, disseminated, some aspects of the natural history of, 135—Part I. Incidence, course, and prognosis, 135: Incidence in the United Kingdom, 136; sex incidence, 137; course of the disease, 137. Part II. Factors affecting the onset and course, 147.

Serum iron studies, diagnostic value of, in haemochromatosis, 215.
Sodium, cell, in diabetic ketosis, 238.
Some aspects of the natural history of disseminated sclerosis, 135—Part I. Incidence, course, and prognosis, 135: Incidence in the United Kingdom, 136; sex incidence, 137; course of the disease, 137. Part II. Factors affecting the onset and course, 147.
Syphilis, hypopituitarism in male subjects due to, with a discussion of androgen treatment, 249.
— acquired, and the anterior pituitary, 254.
— congenital, and the anterior pituitary, 251.

Thyroid, study of iodine metabolism in, with radioactive iodine, 85.
— carcinoma, treatment of, with radioiodine, 95.
Thyrotoxicosis, treatment of, with radioiodine, 93.
Toes, clubbing of, local circulatory changes associated with, 201.
Treatment of intermittent claudication, 169; long-term treatments, 172; short-term treatments, 179.
Tumours involving the brain-stem, 265; clinical observations, 267; diagnostic features, 274; atypical cases, 276; radiological observations, 279.

Valvular disease, mitral, haemodynamic basis of the symptoms and signs in, 361.

Xanthine oxidase: haemopoietic activity of folic acid treated with, 1; preparation of, from milk, 1; laboratory experiments with preparations of, 12; reduction of xanthopterin by preparations of, 13; summary of action of, 14.